Journal of MOLECULAR BIOLOGY

Editor in Chief
S. BRENNER

Editors

P. Chambon
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
N.-H. Chua
D. J. DeRosier
A. R. Fersht
W. A. Hendrickson
I. B. Holland
J. Karn
R. Laskey
V. Luzzati
J. L. Mandel
B. Matthews
J. H. Miller
M. F. Moody
T. Richmond
R. Schleif
N. L. Sternberg

Volume 206

5 March to 20 April 1989

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1989, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 206

Number 1, 5 March 1989

Leffers, H., Gropp, F., Lottspeich, F., Zillig, W. and Garrett, R. A., Sequence, Organization, Transcription and Evolution of RNA Polymerase Subunit Genes from the Archaebacterial Extreme Halophiles *Halobacterium halobium* and *Halococcus morrhuae* 1

Harris, L. D. and Griffith, J. D., UvsY Protein of Bacteriophage T4 is an Accessory Protein for *in Vitro* Catalysis of Strand Exchange 19

Gimble, F. S. and Sauer, R. T., λ Repressor Mutants that are Better Substrates for RecA-mediated Cleavage 29

Straney, D. C., Straney, S. B. and Crothers, D. M., Synergy Between *Escherichia coli* CAP Protein and RNA Polymerase in the *lac* Promoter Open Complex 41

Richardson, H. and Egan, J. B., DNA Replication Studies with Coliphage 186. II. Depression of Host Replication by a 186 Gene 59

Mayford, M. and Weisblum, B., *ermC* Leader Peptide. Amino Acid Sequence Critical for Induction by Translational Attenuation 69

Dora, S., Schwarz, C. and Knippers, R., Excision of Integrated Simian Virus 40 DNA Involving Homologous Recombination between Viral DNA Sequences. 81

Bohenzky, R. A. and Berns, K. I., Interactions Between the Termini of Adeno-associated Virus DNA 91

Rullman, J. A. C., Bellido, M. N. and van Duijnen, P. Th., The Active Site of Papain. All-atom Study of Interactions with Protein Matrix and Solvent 101

de Jong, E. A. M., van Duynhoven, J. P. M., Harmsen, B. J. M., Konings, R. N. H. and Hilbers, C. W., Two-dimensional ^{1}H Nuclear Magnetic Resonance Studies on the Gene V-encoded Single-stranded DNA-binding Protein of the Filamentous Bacteriophage IKe. I. Structure Elucidation of the DNA-binding Wing 119

de Jong, E. A. M., van Duynhoven, J. P. M., Harmsen, B. J. M., Tesser, G. I., Konings, R. N. H. and Hilbers, C. W., Two-dimensional ^{1}H Nuclear Magnetic Resonance Studies on the Gene V-encoded Single-stranded DNA-binding Protein of the Filamentous Bacteriophage IKe. II. Characterization of the DNA-binding Wing with the Aid of Spin-labelled Oligonucleotides 133

Bally, R. and Delettré, J., Structure and Refinement of the Oxidized $P2_1$ Form of Uteroglobin at 1·64 Å Resolution 153

Sack, J. S., Saper, M. A and Quiocho, F. A., Periplasmic Binding Protein Structure and Function. Refined X-ray Structures of the Leucine/Isoleucine/Valine-binding Protein and its Complex with Leucine 171

Sack, J. S., Trakhanov, S. D., Tsigannik, I. H. and Quiocho, F. A., Structure of the L-Leucine-binding Protein Refined at 2·4 Å Resolution and Comparison with the Leu/Ile/Val-binding Protein Structure 193

Eiselé, J.-L. and Rosenbusch, J. P., Crystallization of Porin using Short Chain Phospholipids 209

Newman, R., Tucker, A., Ferguson, C., Tsernoglou, D., Leonard, K. and Crumpton, M J., Crystallization of p68 on Lipid Monolayers and as Three-dimensional Single Crystals. 213

Werner, W. E. and Schachman, H. K., Analysis of the Ligand-promoted Global Conformational Change in Aspartate Transcarbamoylase. Evidence for a Two-state Transition from Boundary Spreading in Sedimentation Velocity Experiments . . 221

Werner, W. E., Cann, J. R. and Schachman, H. K., Boundary Spreading in Sedimentation Velocity Experiments on Partially Liganded Aspartate Transcarbamoylase. A Ligand-mediated Isomerization 231

Letters to the Editor

Burnett, S., Zabielski, J., Moreno-Lopez, J. and Pettersson, U., Evidence for Multiple Vegetative DNA Replication Origins and Alternative Replication Mechanisms of Bovine Papillomavirus Type 1 239

Briggs, M. M. and Schachat, F., N-Terminal Amino Acid Sequences of Three Functionally Different Troponin T Isoforms from Rabbit Fast Skeletal Muscle . 245

Richardson, H., Puspurs, A. and Egan, J. B., Control of Gene Expression in the P2-related Temperate Coliphage 186. VI. Sequence Analysis of the Early Lytic Region 251

Scherer, A., John, J., Linke, R., Goody, R. S., Wittinghofer, A., Pai, E. F. and Holmes, K. C., Crystallization and Preliminary X-ray Analysis of the Human c-H-*ras*-Oncogene Product p21 Complexed with GTP Analogues 257

Number 2, 20 March 1989

Cozens, A. L., Runswick, M. J. and Walker, J. E., DNA Sequences of Two Expressed Nuclear Genes for Human Mitochondrial ADP/ATP Translocase 261

Miyahara, K. and Naora, H., Plasticity of DNA Conformation Around the *Drosophila melanogaster* Alcohol Dehydrogenase Gene Under Torsional Stress 281

Flanagan, P. M. and Fennewald, M. A., Analysis of Inhibitors of the Site-specific Recombination Reaction Mediated by Tn*3* Resolvase 295

Lauster, R., Trautner, T. A. and Noyer-Weidner, M., Cytosine-specific Type II DNA Methyltransferases. A Conserved Enzyme Core with Variable Target-recognizing Domains 305

Lauster, R., Evolution of Type II DNA Methyltransferases. A Gene Duplication Model . 313

Petersen, C., Long-range Translational Coupling in the *rplJL-rpoBC* Operon of *Escherichia coli* 323

Fuerst, T. R. and Moss, B., Structure and Stability of mRNA Synthesized by Vaccinia Virus-encoded Bacteriophage T7 RNA Polymerase in Mammalian Cells. Importance of the 5′ Untranslated Leader 333

Wade, R. H., Taveau, J. C. and Lamy, J. N., Concerning the Axial Rotational Flexibility of the Fab Regions of Immunoglobulin G 349

Sutoh, K., Tokunaga, M. and Wakabayashi, T., Electron Microscopic Mappings of Myosin Head with Site-directed Antibodies 357

Schierbeek, A. J., Swarte, M. B. A., Dijkstra, B. W., Vriend, G., Read, R. J., Hol, W. G. J., Drenth, J. and Betzel, C., X-ray Structure of Lipoamide Dehydrogenase from *Azotobacter vinelandii* Determined by a Combination of Molecular and Isomorphous Replacement Techniques 365

Warwicker, J., Investigating Protein–Protein Interaction Surfaces using a Reduced Stereochemical and Electrostatic Model 381

Letters to the Editor

Menéndez-Arias, L. and Argos, P., Engineering Protein Thermal Stability. Sequence Statistics Point to Residue Substitutions in α-Helices 397

Williamson, M. P., ^{1}H Nuclear Magnetic Resonance Assignments and Secondary Structure of Porcine $C5a_{des\ Arg}$ 407

Number 3, 5 April 1989

Huang, X.-Y., Barrios, L. A. M., Vonkhorporn, P., Honda, S., Albertson, D. G. and Hecht, R. M., Genomic Organization of the Glyceraldehyde-3-Phosphate Dehydrogenase Gene Family of *Caenorhabditis elegans* 411

Dreher, T. W., Rao, A. L. N. and Hall, T. C., Replication *in Vivo* of Mutant Brome Mosaic Virus RNAs Defective in Aminoacylation 425

Temsamani, J., Alibert, C., Tazi, J., Rucheton, M., Capony, J.-P., Jeanteur, P., Cathala, G. and Brunel, C., B-B′ Proteins from Small Nuclear Ribonucleoproteins have an Endoribonuclease Catalytic Domain Inactive in Native Particles 439

Ausio, J., Dong, F. and van Holde, K. E., Use of Selectively Trypsinized Nucleosome Core Particles to Analyze the Role of the Histone "Tails" in the Stabilization of the Nucleosome 451

Erickson, H. P., Co-operativity in Protein–Protein Association. The Structure and Stability of the Actin Filament 465

Appendices 471

Koepke, J., Maslowska, M., Heinemann, U. and Saenger, W., Three-dimensional Structure of Ribonuclease T_1 Complexed with Guanylyl-2′,5′-guanosine at 1·8 Å Resolution 475

Smith, D. and Yarus, M., Transfer RNA Structure and Coding Specificity. I. Evidence that a D-arm Mutation Reduces tRNA Dissociation from the Ribosome 489

Appendix 499

Smith, D. and Yarus, M., Transfer RNA Structure and Coding Specificity. II. A D-arm Tertiary Interaction that Restricts Coding Range 503

Messerschmidt, A., Rossi, A., Ladenstein, R., Huber, R., Bolognesi, M., Gatti, G., Marchesini, A., Petruzzelli, R. and Finazzi-Agró, A., X-ray Crystal Structure of the Blue Oxidase Ascorbate Oxidase from Zucchini. A Preliminary Analysis of the Polypeptide Fold and a Model of the Copper Sites and Ligands 513

Volbeda, A. and Hol, W. G. J., Pseudo 2-Fold Symmetry in the Copper-binding Domain of Arthropodan Haemocyanins. Possible Implications for the Evolution of Oxygen Transport Proteins 531

Kuwajima, K., Mitani, M. and Sugai, S., Characterization of the Critical State in Protein Folding. Effects of Guanidine Hydrochloride and Specific Ca^{2+} Binding on the Folding Kinetics of α-Lactalbumin 547

Letter to the Editor

Filipski, J., Salinas, J. and Rodier, F., Chromosome Localization-dependent Compositional Bias of Point Mutations in *Alu* Repetitive Sequences 563

Number 4, 20 April 1989

Roberts, S. B., Emmons, S. W. and Childs, G., Nucleotide Sequences of *Caenorhabditis elegans* Core Histone Genes. Genes for Different Histone Classes Share Common Flanking Sequence Elements. 567

Gardella, T., Moyle, H. and Susskind, M. M., A Mutant *Escherichia coli* σ^{70} Subunit of RNA Polymerase with Altered Promoter Specificity 579

Siegele, D. A., Hu, J. C., Walter, W. A. and Gross, C. A., Altered Promoter Recognition by Mutants Forms of the σ^{70} Subunit of *Escherichia coli* RNA Polymerase . . . 591

Zuber, P., Healy, J., Carter, H. L., III, Cutting, S., Moran, C. P., Jr and Losick, R., Mutation Changing the Specificity of an RNA Polymerase Sigma Factor 605

Clark, L., Nicholson, J. and Hay, R. T., Enhancer Binding Protein (EBP1) Makes Base and Backbone Contacts over One Complete Turn of the DNA Double Helix . . 615

Driks, A., Bryan, R., Shapiro, L. and DeRosier, D. J., The Organization of the *Caulobacter crescentus* Flagellar Filament 627

McDade, W. A., Carragher, B., Miller, C. A. and Josephs, R., On the Assembly of Sickle Hemoglobin Fascicles 637

Egebjerg, J., Christiansen, J., Brown, R. S., Larsen, N. and Garrett, R. A., Protein L18 Binds Primarily at the Junctions of Helix II and Internal Loops A and B in *Escherichia coli* 5 S RNA. Implications for 5 S RNA Structure 651

Braun, W., Epp, O., Wüthrich, K. and Huber, R., Solution of the Phase Problem in the X-ray Diffraction Method for Proteins with the Nuclear Magnetic Resonance Solution Structure as Initial Model. Patterson Search and Refinement for the α-Amylase Inhibitor Tendamistat 669

Billeter, M., Kline, A. D., Braun, W., Huber, R. and Wüthrich, K., Comparison of the High-resolution Structures of the α-Amylase Inhibitor Tendamistat Determined by Nuclear Magnetic Resonance in Solution and by X-ray Diffraction in Single Crystals . 677

Subbiah, S., Are Coiled-coil Proteins Evolutionarily Related? 689

Moore, M. H., Hunter, W. N., d'Estaintot, B. L. and Kennard, O., DNA–Drug Interactions. The Crystal Structure of d(CGATCG) Complexed with Daunomycin . 693

Dock-Bregeon, A. C., Westhof, E., Giegé, R. and Moras, D., Solution Structure of tRNA with a Large Variable Region: Yeast $tRNA^{Ser}$ 707

Luisi, B. and Shibayama, N., Structure of Haemoglobin in the Deoxy Quaternary State with Ligand Bound at the α Haems 723

Perkins, S. J., Nealis, A. S., Dudhia, J. and Hardingham, T. E., Immunoglobulin Fold and Tandem Repeat Structures in Proteoglycan N-terminal Domains and Link Protein 737

Appendix: Dudhia, J. and Hardingham, T. E., Isolation and Sequence of cDNA Clones, for Pig and Human Cartilage Link Protein 749

Skrzypczak-Jankun, E., Rydel, T. J., Tulinsky, A., Fenton, J. W., II and Mann, K. G., Human D-Phe-Pro-Arg-CH_2-α-Thrombin Crystallization and Diffraction Data . . 755

Sibanda, B. L., Blundell, T. L. and Thornton, J. M., Conformation of β-Hairpins in Protein Structures. A Systematic Classification with Applications to Modelling by Homology, Electron Density Fitting and Protein Engineering 759

Letters to the Editor

Lindsey, J. C. and Leach, D. R. F., Slow Replication of Palindrome-containing DNA 779

Leung, C. J., Nall, B. T. and Brayer, G. D., Crystallization of Yeast Iso-2-cytochrome *c* Using a Novel Hair Seeding Technique 783

Wagner, U. G., Werber, M. M., Beck, Y., Hartman, J. R., Frolow, F. and Sussman, J. L., Characterization of Crystals of Genetically Engineered Human Manganese Superoxide Dismutase 787

Lin, S.-F., Coll, M., Gefter, M. L., Margolies, M. N. and Wang, A. H.-J., Preliminary Crystallographic Studies of the Fab Fragment of an Anti-Azophenylarsonate Antibody 789

Kurihara, H., Mitsui, Y., Nakamura, K. T., Wakabayashi, E., Ohgi, K. and Irie, M., Crystallization of a New Class of Microbial Ribonuclease from *Rhizopus niveus* 791

Index to Volume 206

Actin filament, structure and stability; co-operativity in protein–protein association, 465
Adeno-associated virus DNA, interactions between the termini, 91
ADP/ATP translocase, mitochondrial, human; DNA sequences of two expressed nuclear genes, 261
Albertson, D. G. (see also Huang, X.-Y.), 411
Alcohol dehydrogenase gene of *Drosophila*; plasticity of DNA conformation under torsional stress, 281
Alibert, C. (see also Temsamani, J.), 439
Alu repetitive sequences, chromosome localization-dependent compositional bias of point mutations, 563
Aminoacylation-defective mutant brome mosaic virus RNAs; replication *in vivo*, 425
α-Amylase inhibitor structure in solution and in crystals; a comparison, 677
α-Amylase inhibitor Tendamistat, Patterson search and refinement, 669
Antibodies, site-directed, in electron mappings of myosin head, 357
Antibody, anti-azophenylarsonate; preliminary crystallographic studies of the Fab fragment, 789
Archaebacterial extreme halopiles *Halobacterium halobium* and *Halococcus morrhuae*; sequence, organization, transcription and evolution of RNA polymerase subunit genes, 1
Argos, P. (see also Menéndez-Arias, L.), 397
Arthropodan haemocyanins, pseudo 2-fold symmetry in the copper-binding domain; implications for evolution of oxygen transport proteins, 531
Aspartate transcarbamoylase, analysis of the ligand-promoted global conformational change; evidence for a two-state transition from boundary spreading in sedimentation velocity experiments, 221
Aspartate transcarbamoylase, partially liganded, and boundary spreading in sedimentation velocity experiments; a ligand-mediated isomerization, 231
Assembly of sickle hemoglobin fascicles, 637
Association, protein–protein, and co-operativity; structure and stability of the actin filament, 465
Ausio, J., Dong, F. & van Holde, K. E., Use of selectively trypsinized nucleosome core particles to analyze the role of the histone "tails" in the stabilization of the nucleosome, 451
Axial rotational flexibility of the Fab regions of immunoglobulin G, 349
Azotobacter vinelandii, X-ray structure of lipoamide dehydrogenase determined by a combination of molecular and isomorphous replacement techniques, 365

Bacteriophage IKe, two-dimensional ^{1}H n.m.r. studies on the gene V-encoded single-stranded DNA-binding protein; characterization of the DNA-binding wing with the aid of spin-labelled oligonucleotides, 133
Bacteriophage IKe, two-dimensional ^{1}H n.m.r. studies on the gene V-encoded single-stranded DNA-binding protein; structure elucidation of the DNA-binding wing, 119
Bacteriophage T4 UvsY protein is an accessory protein for *in vitro* catalysis of strand exchange, 19
Bacteriophage T7 RNA polymerase, vaccinia virus-encoded, in mammalian cells; structure and stability of synthesized mRNA, 333
Bally, R. & Delettré, J., Structure and refinement of the oxidized $P2_1$ form of uteroglobin at 1·6 Å resolution, 153
Barrios, L. A. M. (see also Huang, X.-Y.), 411
B-B′ proteins from small nuclear ribonucleoproteins have an endoribonuclease catalytic domain inactive in native particles, 439
Beck, Y. (see also Wagner, U. G.), 787
Bellido, M. N. (see also Rullman, J. A. C.), 101
Berns, K. L. (see also Bohenzky, R. A.), 91
Betzel, C. (see also Schierbeek, A. J.), 365
Billeter, M., Kline, A. D., Braun, W., Huber, R. & Wüthrich, K., Comparison of the high-resolution structures of the α-amylase inhibitor Tendamistat determined by nuclear magnetic resonance in solution and by X-ray diffraction in single crystals, 677
Binding protein structure and function; refined X-ray structures of the Leu/Ile/Val/-binding protein and its complex with leucine, 171
Binding sites of protein L18 on 5 S RNA, 651
Blue ascorbate oxidase from Zucchini, X-ray crystal structure; analysis of the polypeptide folds and a model of the copper sites and ligands, 513
Blundell, T. L. (see also Sibanda, B. L.), 759
Bohenzky, R. A. & Berns, K. L., Interactions between the termini of adeno-associated virus DNA, 91
Bolognesi, M. (see also Messerschmidt, A.), 513
Boundary spreading in sedimentation velocity experiments, and evidence for a two-state transition; analysis of the ligand-promoted global conformational change in aspartate transcarbamoylase, 221
Boundary spreading in sedimentation velocity experiments on partially liganded aspartate transcarbamoylase, 231
Bovine papillomavirus type 1, evidence for multiple vegetative DNA replication origins and alternative replication mechanisms, 239
Braun, W., Epp, O, Wüthrich, K. & Huber, R., Solution of the phase problem in the X-ray diffraction method for proteins with the nuclear magnetic resonance solution structure as initial model. Patterson search and refinement for the α-amylase inhibitor Tendamistat, 669
Braun, W. (see also Billeter, M.), 677
Brayer, G. D. (see also Leung, C. J.), 783
Briggs, M. M. & Schachat, F., N-terminal amino acid sequences of three functionally different troponin T isoforms from rabbit fast skeletal muscle, 245
Brome mosaic virus mutant RNAs defective in aminoacylation; replication *in vivo*, 425
Brown, R. S. (see also Egebjerg, J.), 651
Brunel, C. (see also Temsamani, J.), 439
Bryan, R. (see also Driks, A.), 627
Burnett, S., Zabielski, J., Moreno-Lopez, J. & Pettersson, U., Evidence for multiple vegetative DNA replication origins and alternative replication mechanisms of bovine papillomavirus type 1, 239

$C5a_{desArg}$, porcine, ^{1}H n.m.r. assignments and secondary structure, 407
Caenorhabditis elegans, genomic organization of the glyceraldehyde-3-phosphate dehydrogenase gene family, 411
Caenorhabditis elegans, nucleotide sequences of core histone genes, 567
Ca^{2+} binding, specific, and guanidine hydrochloride; effects on the folding kinetics of α-lactalbumin, 547
Cann, J. R. (see also Werner, W. E.), 231
CAP protein, synergy with RNA polymerase in the *lac* promoter open complex, 41
Capony, J.-P. (see also Temsamani, J.), 439
Carragher, B. (see also McDade, W. A.), 637
Carter, H. L., III (see also Zuber, P.), 605
Cartilage link protein, pig and human, isolation and sequence of cDNA clones, 749
Catalytic domain endoribonuclease, in B-B′ proteins from small nuclear ribonucleoproteins, 439
Cathala, G. (see also Temsamani, J.), 439
Caulobacter crescentus, organization of the flagellar filament, 627
Childs, G. (see also Roberts, S. B.), 567

c-H-*ras*-oncogene product p21 complexed with GTP analogues; crystallization and preliminary X-ray analysis, 257
Christiansen, J. (see also Egebjerg, J.), 651
Chromosome localization-dependent compositional bias of point mutations in *Alu* repetitive sequences, 563
Clark, L., Nicholson, J. & Hay, R. T., Enhancer binding protein (EBP1) makes base and backbone contacts over one complete turn of the DNA double helix, 615
Cleavage, RecA-mediated, and λ repressor mutants that are better substrates, 29
Coding specificity and tRNA structure; a D-arm tertiary interaction that restricts coding range, 503
Coding specificity and tRNA structure; evidence that a D-arm mutation reduces tRNA dissociation from the ribosome, 489
Coiled-coil proteins: are they evolutionarily related?, 689
Coliphage 186, control of gene expression; sequence analysis of the early lytic region, 251
Coll, M. (see also Lin, S.-F.), 789
Conformation of β-hairpins in protein structures; a systematic classification with applications to modelling, 759
Conformational change, global, ligand-promoted, in aspartate transcarbamoylase; evidence for a two-state transition from boundary spreading in sedimentation velocity experiments, 221
Contact point analysis, and enhancer binding protein, 615
Co-operativity in protein–protein association; structure and stability of the actin filament, 465
Copper-binding domain of arthropodan haemocyanins was pseudo 2-fold symmetry; implications for evolution of oxygen transport proteins, 531
Cozens, A. L., Runswick, M. J. & Walker, J. E., DNA sequences of two expressed nuclear genes for human mitochondrial ADP/ATP translocase, 261
Crothers, D. M. (see also Straney, D. C.), 41
Crumpton, M. J. (see also Newman, R.), 213
Crystals of genetically engineered human manganese superoxide dismutase; characterization, 787
Crystallization and diffraction data for human D-Phe-Pro-Arg-CH_2-α-thrombin, 755
Crystallization of a new class of microbial ribonuclease from *Rhizopus niveus*, 791
Crystallization of p68 on lipid monolayers and as three-dimensional single crystals, 213
Crystallization of porin using short chain phospholipids, 209
Crystallization and preliminary X-ray analysis of the human c-H-*ras*-oncogene product p21 complexed with GTP analogues, 257
Crystallization of yeast iso-2-cytochrome *c* using a novel hair seeding technique, 783
Crystallographic studies, preliminary, of the Fab fragment of an anti-azophenylarsonate antibody, 789
Cutting, S. (see also Zuber, P.), 605
Cytosine-specific type II DNA methyltransferases. A conserved enzyme core with variable target-recognizing domains, 305

D-arm mutation reduces tRNA dissociation from the ribosome; tRNA structure and coding specificity, 489
D-arm tertiary interaction that restricts coding range; tRNA structure and coding specificity, 503
Daunomycin complexed with d(CGATCG); crystal structure, 693
d(CGATCG) complexed with daunomycin; crystal structure, 693
de Yong, E. A. M., van Duynhoven, J. P. M., Harmsen, B. J. M., Konings, R. N. H. & Hilbers, C. W., Two-dimensional ^{1}H nuclear magnetic resonance studies on the gene V-encoded single-stranded DNA-binding protein of the filamentous bacteriophage IKe. I. Structure elucidation of the DNA-binding wing, 119
de Jong, E. A. M., van Duynhoven, J. P. M., Harmsen, B. J. M., Tesser, G. I., Konings, R. N. H. & Hilbers, C. W., Two-dimensional ^{1}H nuclear magnetic resonance studies on the gene V-encoded single-stranded DNA-binding protein of the filamentous bacteriophage IKe. II. Characterization of the DNA-binding wing with the aid of spin-labelled oligonucleotides, 133
Delettré, J. (see also Bally, R.), 153
DNA, adeno-associated virus; interactions between the termini, 91
DNA-binding protein, gene V-encoded, of bacteriophage IKe; two-dimensional ^{1}H n.m.r. studies; structure elucidation of the DNA-binding wing, 119
DNA-binding protein, gene V-encoded, of bacteriophage IKe; two-dimensional ^{1}H n.m.r. studies; characterization of the DNA-binding wing with the aid of spin-labelled oligonucleotides, 133
DNA conformation plasticity around the *Drosophila melanogaster* alcohol dehydrogenase gene under torsional stress, 281
DNA double helix, enhancer binding protein makes base and backbone contacts over one complete turn, 615
DNA–drug interactions; the crystal structure of d(CGATCG) complexed with daunomycin, 693
DNA methyltransferases, type II, cytosine-specific; a conserved enzyme core with variable target recognizing domains, 305
DNA methyltransferases, type II, evolution; gene duplication model, 313
DNA, palindrome-containing; slow replication, 779
DNA replication: evidence for multiple vegetative DNA replication origins and alternative replication mechanisms of bovine papillomavirus type 1, 239
DNA replication studies with coliphage 186; depression of host replication by a 186 gene, 59
DNA sequences of two expressed nuclear genes for human mitochondrial ADP/ATP translocase, 261
DNA, SV40, integrated, excision involving homologous recombination between viral DNA sequences, 81
cDNA clones for pig and human cartilage link protein; isolation and sequence, 749
DeRosier, D. J. (see also Driks, A.), 627
D'Estaintot, B. L. (see also Moore, M. H.), 693
Dijkstra, B. W. (see also Schierbeek, A. J.), 365
Dock-Bregeon, A. C., Westhof, E., Giegé, R. & Moras, D., Solution structure of tRNA with a large variable region: yeast $tRNA^{Ser}$, 707
Dong, F. (see also Ausio, J.), 451
Dora, S., Schwarz, C. & Knippers, R., Excision of integrated simian virus 40 DNA involving homologous recombination between viral DNA sequences, 81
D-Phe-Pro-Arg-CH_2-α-thrombin, human; crystallization and diffraction data, 755
Dreher, T. W., Rao, A. L. N. & Hall, T. C., Replication *in vivo* of mutant brome mosaic virus RNAs defective in aminoacylation, 425
Drenth, J. (see also Schierbeek, A. J.), 365
Driks, A., Bryan, R., Shapiro, L. & DeRosier, D. J., The organization of the *Caulobacter crescentus* flagellar filament, 627
Drosophila melanogaster alcohol dehydrogenase gene, and plasticity of DNA conformation under torsional stress, 281
Drug–DNA interactions; the crystal structure of d(CGATCG) complexed with daunomycin, 693
Dudhia, J. & Hardingham, T. E., Isolation and sequence of cDNA clones, for pig and human cartilage link protein (*Appendix* to Perkins, S. J. *et al.*, 737), 749
Dudhia, J. (see also Perkins, S. J.), 737

EBP1 (see also Enhancer binding protein), 615
Egan, J. B. (see also Richardson, H.), 59, 251
Egebjerg, J., Christiansen, J., Brown, R. S., Larsen, N. & Garrett, R. A., Protein L18 binds primarily at the junctions of helix II and internal loops A and B in *Escherichia coli* 5 S RNA. Implications for 5 S RNA structure, 651
Eiselé, J.-L. & Rosenbusch, J. P., Crystallization of porin using short chain phospholipids, 209
Electron microscopic mappings of myosin head with site-directed antibodies, 357
Electrostatic interactions, protein–protein, 381
Emmons, S. W. (see also Roberts, S. B.), 567
Endoribonuclease catalytic domain, inactive in native particles, in B-B′ proteins from small nuclear ribonucleoproteins, 439
Engineering protein thermal stability; sequence statistics point to residue substitutions in α-helices, 397

Enhancer binding protein (EBP1) makes base and backbone contacts over one complete turn of the DNA double helix, 615
Erickson, H. P., Co-operativity in protein–protein association. The structure and stability of the actin filament, 465
ermC leader peptide; amino acid sequence critical for induction by translational attenuation, 69
Escherichia coli CAP protein, synergy with RNA polymerase in the *lac* promoter open complex, 41
Escherichia coli, long-range translational coupling in the *rplJL-rpoBC* operon, 323
Escherichia coli RNA polymerase, a mutant σ^{70} subunit with altered promoter specificity, 579
Escherichia coli RNA polymerase, altered promoter recognition by mutant forms of the σ^{70} subunit, 591
Escherichia coli 5 S RNA; protein L18 binds at the junctions of helix II and internal loops A and B, 651
Evolution: chromosome localization-dependent compositional bias of point mutations in *Alu* repetitive sequences, 563
Evolution and coiled-coil proteins, 689
Evolution of oxygen transport proteins; implications of pseudo 2-fold symmetry in the copper-binding domain of arthropodal haemocyanins, 531
Evolution of the type II DNA methyltransferase; a gene duplication model, 313
Evolution of RNA polymerase subunit genes from the extreme halophiles *Halobacterium halobium* and *Halococcus morrhuae*, 1
Excision of integrates SV40 DNA involving homologous recombination between viral DNA sequences, 81

Fab fragment of an anti-azophenylarsonate antibody; preliminary crystallographic studies, 789
Fab regions of immunoglobulin G; concerning the axial rotational flexibility, 349
Fascicle assembly, sickle hemoglobin, 637
Fennewald, M. A. (see also Flanagan, P. M.), 295
Fenton, J. W., II (see also Skrzypczak-Jankun, E.), 755
Ferguson, C. (see also Newman, R.), 213
Filipski, J., Salinas, J. & Rodier, F., Chromosome localization-dependent compositional bias of point mutations in *Alu* repetitive sequences, 563
Finazzi-Agró, A. (see also Messerschmidt, A.), 513
5′ Untranslated leader; importance in stability of mRNA synthesized by vaccinia virus-encoded T7 RNA polymerase in mammalian cells, 333
Flagellar filament of *Caulobacter crescentus*; organization, 627
Flanagan, P. M. & Fennewald, M. A., Analysis of inhibitors of the site-specific recombination reaction mediated by Tn*3* resolvase, 295
Folding kinetics of α-lactalbumin, effects of guanidine hydrochloride and specific Ca^{2+} binding, 547
Frolow, F. (see also Wagner, U. G.), 787
Fuerst, T. R. & Moss, B., Structure and stability of mRNA synthesized by vaccinia virus-encoded bacteriophage T7 RNA polymerase in mammalian cells. Importance of the 5′ untranslated leader, 333

Gardella, T., Moyle, H. & Susskind, M. M., A mutant *Escherichia coli* σ^{70} subunit polymerase with altered promoter specificity, 579
Garrett, R. A. (see also Egebjerg, J.), 651
Garrett, R. A. (see also Leffers, H.), 1
Gatti, G. (see also Messerschmidt, A.), 513
Gefter, M. L. (see also Lin, S.-F.), 789
Gene duplication model; evolution of type II DNA methyltransferases, 313
Gene expression control in the P2-related temperate coliphage 186; sequence analysis of the early lytic region, 251
Gene V-encoded single-stranded DNA-binding protein of bacteriophage IKe; two-dimensional ^{1}H n.m.r. studies; structure elucidation of the DNA-binding wing, 119
Gene V-encoded single-stranded DNA-binding protein of bacteriophage IKe; two dimensional ^{1}H n.m.r. studies; characterization of the DNA-binding wing with the aid of spin-labelled oligonucleotides, 133
Genetically engineered human manganese superoxide dismutase; characterization of crystals, 787
Genomic organization of the glyceraldehyde-3-phosphate dehydrogenase gene family of *Caenorhabditis elegans*, 411
Giegé, R. (see also Dock-Bregeon, A. C.), 707
Gimble, F. S. & Sauer, R. T., λ repressor mutants that are better substrates for RecA-mediated cleavage, 29
Glyceraldehyde-3-phosphate dehydrogenase gene family of *Caenorhabditis elegans*; genomic organization, 411
Goody, R. S. (see also Scherer, A.), 257
Griffith, J. D. (see also Harris, L. D.), 19
Gropp, F. (see also Leffers, H.), 1
Gross, C. A. (see also Siegele, D. A.), 591
GTP analogues complexed with human c-H-*ras*-oncogene product 21; crystallization and preliminary X-ray analysis, 257
Guanidine hydrochloride, effects on the folding kinetics of α-lactalbumin, 547
Guanylyl-2′,5′-guanosine complexed with ribonuclease T_1, three-dimensional structure at 1·8 Å resolution, 475

Haemocyanins, arthropodan; pseudo 2-fold symmetry in the copper-binding domain; implications for evolution of oxygen transport proteins, 531
Hemoglobin, sickle; on the assembly of fascicles, 637
Haemoglobin structure in the deoxy quaternary state with ligand bound at the α haems, 723.
Hair seeding technique in crystallization of yeast iso-2-cytochrome *c*, 783
β-Hairpins in protein structures, a systematic classification of conformations with applications to modelling, 759
Hall, T. C. (see also Dreher, T. W.), 425
Halobacterium halobium, sequence, organization, transcription and evolution of RNA polymerase subunit genes, 1
Halococcus morrhuae, sequence, organization, transcription and evolution of RNA polymerase subunit genes, 1
Hardingham, T. E. (see also Dudhia, J.), 749
Hardingham, T. E. (see also Perkins, S. J.), 737
Harmsen, B. J. M. (see also De Jong, E. A. M.), 119, 133
Harris, L. D. & Griffith, J. D., UvsY protein of bacteriophage T4 is an accessory protein for *in vitro* catalysis of strand exchange, 19
Hartman, J. R. (see also Wagner, U. G.), 787
Hay, R. T. (see also Clark, L.), 615
Healy, J. (see also Zuber, P.), 605
Hecht, R. M. (see also Huang, X.-Y.), 411
Heinemann, U. (see also Koepke, J.), 475
α-Helices, and residue substitutions; engineering protein thermal stability, 397
Hilbers, C. W. (see also De Jong, E. A. M.), 119, 133
Histone genes of *Caenorhabditis elegans*; nucleotide sequences, 567
Histone "tails": use of selectively trypsinized nucleosome core particles to analyze their role in the stabilization of the nucleosome, 451
Hol, W. G. J. (see also Schierbeek, A. J.), 365
Hol, W. G. J. (see also Volbeda, A.), 531
Holmes, K. C. (see also Scherer, A.), 257
Honda, S. (see also Huang, X.-Y.), 411
Hu, J. C. (see also Siegele, D. A.), 591
Huang, X.-Y., Barrios, L. A. M., Vonkhorporn, P., Honda, S., Albertson, D. G. & Hecht, R. M., Genomic organization of the glyceraldehyde-3-phosphate dehydrogenase gene family of *Caenorhabditis elegans*, 411
Huber, R. (see also Billeter, M.), 677
Huber, R. (see also Braun, W.), 669
Huber, R. (see also Messerschmidt, A.), 513
Hunter, W. N. (see also Moore, M. H.), 693

IKe (see also Bacteriophage), 119, 133
Immunoglobulin fold and tandem repeat structures in proteoglycan N-terminal domains and link protein, 737
Immunoglobulin G, concerning the axial rotational flexibility of the Fab regions, 349

Inhibitors of the site-specific recombination reaction mediated by Tn*3* resolvase, 295
Irie, M. (see also Kurihara, H.), 791
Iso-2-cytochrome *c*, yeast, crystallization using a novel hair seeding technique, 783

Jeanteur, P. (see also Temsamani, J.), 439
John, J. (see also Scherer, A.), 257
Josephs, R. (see also McDade, W. A.), 637

Kennard, O. (see also Moore, M. H.), 693
Kline, A. D. (see also Billeter, M.), 677
Knippers, R. (see also Dora, S.), 81
Koepke, J., Maslowska, M., Heinemann, U. & Saenger, W., Three-dimensional structure of ribonuclease T_1 complexed with guanylyl-2′,5′-guanosine at 1·8 Å resolution, 475
Konings, R. N. H. (see also De Jong, E. A. M.), 119, 133
Kurihara, H., Mitsui, Y., Nakamura, K. T., Wakabayashi, E., Ohgi, K. & Irie, M., Crystallization of a new class of microbial ribonuclease from *Rhizopus niveus*, 791
Kuwajima, K., Mitani, M. & Sugai, S., Characterization of the critical state in protein folding. Effects of guanidine hydrochloride and specific Ca^{2+} binding on the folding kinetics of α-lactalbumin, 547

L18 protein binds primarily at the junctions of helix II and internal loops A and B in *E. coli* 5 S RNA; implications for 5 S RNA structure, 651
lac promoter open complex; synergy between *E. coli* CAP protein and RNA polymerase, 41
α-Lactalbumin folding kinetics, effects of guanidine hydrochloride and specific Ca^{2+} binding, 547
Ladenstein, R. (see also Messerschmidt, A.), 513
λ repressor mutants that are better substrates for RecA-mediated cleavage, 29
Lamy, J. N. (see also Wade, R. H.), 349
Larsen, N. (see also Egebjerg, J.), 651
Lauster, R., Evolution of type II DNA methyltransferases. A gene duplication model, 313
Lauster, R., Trautner, T. A. & Noyer-Weidner, M., Cytosine-specific type II DNA methyltransferases. A conserved enzyme core with variable target-recognizing domains, 305
Leach, D. R. F. (see also Lindsey, J. C.), 779
Leader peptide, *ermC*; amino acid sequence critical for induction by translational attenuation, 69
Leffers, H., Gropp, F., Lottspeich, F., Zillig, W. & Garrett, R. A., Sequence, organization, transcription end evolution of RNA polymerase subunit genes from the archaebacterial extreme halophiles *Halobacterium halobium* and *Halococcus morrhuae*, 1
Leonard, K. (see also Newman, R.), 213
Leu/Ile/Val-binding protein structure, comparison with the structure of L-leucine-binding protein, 193
Leu/Ile/Val-binding protein, and its complex with leucine; refined X-ray structures, 171
L-Leucine-binding protein, structure refined at 2·4 Å resolution, and comparison with the structure of Leu/Ile/Val-binding protein, 193
Leung, C. J., Nall, B. T. & Brayer, G. D., Crystallization of yeast iso-2-cytochrome *c* using a novel hair seeding technique, 783
Ligand-mediated isomerization; boundary spreading in sedimentation velocity experiments on partially liganded aspartate transcarbamoylase, 231
Ligand-promoted global conformation change in asparatate transcarbamoylase; evidence for a two-state transition from boundary spreading in sedimentation velocity experiments, 221
Lin, S.-F., Coll, M., Gefter, M. L., Margolies, M. N. & Wang, A. H.-J., Preliminary crystallographic studies of the Fab fragment of an anti-azophenylarsonate antibody, 789
Linsey, J. C. & Leach, D. R. F., Slow replication of palindrome-containing DNA, 779
Link protein, cartilage, pig and human; isolation and sequence of cDNA clones, 749
Link protein of proteoglycan aggregates; primary sequence and secondary structure analyses, 737
Linke, R. (see also Scherer, A.), 257
Lipoamide dehydrogenase from *Azotobacter vinelandii*, X-ray structure determined by a combinaton of molecular and isomorphous replacement techniques, 365
Long-range translational coupling in the *rplJL-rpoBC* operon of *Escherichia coli*, 323
Losick, R. (see also Zuber, P.), 605
Lottspiech, F. (see also Leffers, H.), 1
Luisi, B. & Shibayama, N., Structure of haemoglobin in the deoxy quaternary state with ligand bound at the α haems, 723

McDade, W. A., Carragher, B., Miller, C. A. & Josephs, R., On the assembly of sickle hemoglobin fascicles, 637
Mammalian cells, structure and stability of mRNA synthesized by vaccinia virus-encoded bacteriophage T7 RNA polymerase, 333
Manganese superoxide dismutase, human, genetically engineered; characterization of crystals, 787
Mann, K. G. (see also Skrzypczak-Jankun, E.), 755
Mappings, electron microscopic, of myosin head with site-directed antibodies, 357
Marchesini, A. (see also Messerschmidt, A.), 513
Margolies, M. N. (see also Lin, S.-F.), 789
Maslowska, M. (see also Koepke, J. 475
Mayford, M. & Weisblum, B., *ermC* leader peptide. Amino acid sequence critical for induction by translational attenuation, 69
Menéndez-Arias, L. & Argos, P., Engineeing protein thermal stability. Sequence statistics point to residue substitutions in α-helices, 397
mRNA synthesized by vaccinia virus-encoded bacteriophage T7 RNA polymerase in mammalian cells; structure and stability, 333
Messerschmidt, A., Rossi, A., Ladenstein, R., Huber, R., Bolognesi, M., Gatti, G., Marchesini, A., Petruzzelli, R. & Finazzi-Agró, A., X-ray crystal structure of the blue oxidase ascorbate oxidase from Zucchini. A preliminary analysis of the polypeptide fold and a model of the copper sites and ligands, 513
Methyltransferases, DNA, type II, cytosine-specific; structure, 305
Methyltransferases, DNA, type II, evolution; a gene duplication model, 313
Microbial ribonuclease from *Rhizopus niveus*, crystallization of a new class, 791
Miller, C. A. (see also McDade, W. A.), 637
Mitani, M. (see also Kuwajima, K.), 547
Mitochondrial ADP/ATP translocase, human DNA sequences of two expressed nuclear genes, 261
Mitsui, Y. (see also Kurihara, H.), 791
Miyahara, K & Naora, H., Plasticity of DNA conformation around the *Drosophila melanogaster* alcohol dehydrogenase gene under torsional stress, 281
Moore, M. H., Hunter, W. N., D'Estaintot, B. L. & Kennard, O., DNA-drug interactions. The crystal structure of d(CGATCG) complexed with daunomycin, 693
Moran, C. P., Jr (see also Zuber, P.), 605
Moras, D. (see also Dock-Bregeon, A. C.), 707
Moreno-Lopez, J. (see also Burnett, S.), 239
Moss, B. (see also Fuerst, T. R.), 333
Moyle, H. (see also Gardella, T.), 579
Muscle, fast skeletal, rabbit; N-terminal amino acid sequences of three functionally different troponin T isoforms, 245
Mutant brome mosaic virus RNAs defective in aminoacylation; replication *in vivo*, 425
Mutant *E. coli* σ^{70} subunit of RNA polymerase with altered promoter specificity, 579
Mutant forms of the σ^{70} subunit of *E. coli* RNA polymerase, and altered promoter recognition, 591
Mutants, λ repressor, that are better substrates for RecA-mediated cleavage, 29
Mutation changing the specificity of an RNA polymerase sigma factor, 605

Mutation, D-arm, reduces tRNA dissociation from the ribosomes; tRNA structure and coding specificity, 489
Mutations, point, in *Alu* repetitive sequences; chromosome localization-dependent compositional bias, 563
Myosin head, electron microscopic mappings with site-directed antibodies, 357

Nakamura, K. T. (see also Kurihara, H.), 791
Nall, B. T. (see also Leung, C. J.), 783
Naora, H. (see also Miyahara, K.), 281
Nealis, A. S. (see also Perkins, S. J.), 737
Neuman, R., Tucker, A., Ferguson, C., Tseen Oglou, D., Leonard, K. & Crumpton, M. J., Crystallizati on of p68 on lipid monolayers and as three-dimensional sing le crystals, 213
Nicholson, J. (see also Clark, L.), 615
Noyer-Weidner, M. (see also Lauster, R.), 305
N-Terminal amino acid sequences of three fu nctionally different tro ponin T isoforms from rabbit fast sk eletal muscle, 245
Nuclear genes, two, for human mitochondria l ADP/ATP translocase ; DNA sequences, 261
Nuclear magnetic resonance assignments and secondary structure of porcine C5a$_{des\ Arg}$, 407
Nuclear magnetic resonance determination of solution structure of Tendamistat; comparison with X-ray diffraction structure in single crystals, 677
Nuclear magnetic resonance solution structure as initial model, and s olution of the phase problem in the X-ray diffraction metho d for proteins; Patterson search and refinement for Tendamistat, 669
Nuclear magnetic resonance, two-dimensional, studies on the gene V protein-encoded single-stranded DNA-binding protein of the filamentous bacteriophage IKe; characterization of the DNA-binding wing with the aid of spin-labelled oligonucleotides, 133
Nuclear magnetic resonance, two-dimensional, studies on the gene V-encoded single-stranded DNA-binding protein of the ultrafilamentous bacteriophage IKe; structure elucidation of the DNA-binding wing, 119
Nucleosome core particles, selectively trypsinized, use in analysis of the role of histone "tails" in the stabilization of the nucleosome, 451

Ohgi, K. (see also Kurihara, H.), 791
186 (see also Coliphage), 59, 251
Organization, genomic, of the glyceraldehyde-3-phosphate dehydrogenase gene family of *Caenorhabditis elegans*, 411
Oxygen transport protein evolution; implications of pseudo 2-fold symmetry in the copper-binding domain of arthropodan haemocyanins, 531

$P2_1$, oxidized, form of uteroglobin; structure and refinement at 1·64 Å resolution, 153
p21 human c-H-*ras*-oncogene product complexed with GTP analogues; crystallization and preliminary X-ray analysis, 257
p68, crystallization on lipid monolayers and as three-dimensional single crystals, 213
Pai, E. F. (see also Scherer, A.), 257
Palindrome-containing DNA, slow replication, 779
Papain active site; all-atom study of interactions with protein matrix and solvent, 101
Papillomavirus type 1, bovine; evidence for multiple vegetative DNA replication origins and alternative replication mechanisms, 239
Patterson search and refinement for the α-amylase inhibitor Tendamistat, 669
Perkins, S. J., Nealis, A. S., Dudhia, J. & Hardingham, T. E., Immunoglobulin fold and tandem repeat structures in proteoglycan N-terminal domains and link protein, 737
Petersen, C., Long-range translocational coupling in the *rplJL-rpoBC* operon of *Escherichia coli*, 323
Petruzzelli, R. (see also Messerschmidt, A.), 513
Pettersson, U. (see also Burnett, S.), 239
Phase problem solution in the X-ray diffraction method for proteins with the n.m.r. solution structure as initial model; Patterson search and refinement for Tendamistat, 669
Phospholipids, short chain, used in crystallization of porin, 209
Pig and human cartilage link protein, isolation and sequence of cDNA clones, 749
Plasticity of DNA conformation around the *Drosophila melanogaster* alcohol dehydrogenase gene under torsional stress, 281
Porcine C5a$_{des\ Arg}$, ^{1}H n.m.r. assignments and secondary structure, 407
Porin, crystallization using short chain phospholipids, 209
Promoter recognition, altered, by mutant forms of the σ^{70} subunit of *E. coli* RNA polymerase, 591
Promoter specificity, altered, of a mutant *E. coli* σ^{70} subunit of RNA polymerase, 579
Proteins, coiled-coil: are they evolutionarily related?, 689
Proteins: engineering thermal stability; sequence statistics point to residue substitutions in α-helices, 397
Protein folding, critical state; effects of guanidine hydrochloride and specific Ca^{2+} binding on the folding kinetics of α-lactalbumin, 547
Protein structures, conformation of β-hairpins; a systematic classification with applications to modelling, 759
Protein–protein association, and co-operativity; structure and stability of the actin filament, 465
Protein–protein interaction surfaces; investigation using a reduced stereochemical and electrostatic model, 381
Proteoglycan N-terminal domains and link protein, immunoglobulin fold and tandem repeat structures, 737
Pseudo 2-fold symmetry in the copper-binding domain of arthropodan haemocyanins; implications for the evolution of oxygen transport proteins, 531
Puspurs, A. (see also Richardson, H.), 251

Quiocho, F. A. (see also Sack, J. S.), 171, 193

Rabbit fast skeletal muscle, N-terminal amino acid sequences of three functionally different troponin T isoforms, 245
Rao, A. L. N. (see also Dreher, T. W.), 425
Read, R. J. (see also Schierbeek, A. J.), 365
RecA-mediated cleavage, and λ repressor mutants that are better substrates, 29
Recombination, homologous, between viral DNA sequences, and excision of integrated SV40 DNA, 81
Recombination reaction, site-specific, mediated by Tn*3* resolvase; analysis of inhibitors, 295
Replication, DNA, studies with coliphage 186; depression of host replication by a 186 gene, 59
Replication: evidence for multiple vegetative DNA replication origins and alternative replication mechanisms of bovine papillomavirus type 1, 239
Replication *in vivo* of mutant brome mosaic virus RNAs defective in aminoacylation, 425
Replication, slow, of palindrome-containing DNA, 779
Residue substitutions in α-helices; engineering protein thermal stability, 397
Rhizopus niveus, crystallization of a new class of microbial ribonuclease, 791
Ribouclease, microbial from *Rhizopus niveus*; crystallization of a new class, 791
Ribonuclease T_1 complexed with guanylyl-2′,5′-guanosine, three-dimensional structure at 1·8 Å resolution, 475
RNAs, mutant brome mosaic virus, defective in aminoacylation; replication *in vivo*, 425
RNA polymerase, *E. coli*, a mutant σ^{70} subunit with altered promoter specificity, 579
RNA polymerase, *E. coli*, altered promoter recognition by mutant forms of the σ^{70} subunit, 591
RNA polymerase subunit genes from the extreme halophiles *Halobacterium halobium* and *Halococcus morrhuae*, 1
RNA polymerase sigma factor specificity changed by a mutation, 605
RNA polymerase, synergy with CAP protein, in the *lac* promoter open complex, 41
RNA polymerase, T7, vaccinia virus-encoded, in mammalian cells; structure and stability of synthesized mRNA, 333
RNA, 5 S, *E. coli*; protein L18 binds primarily at the junctions of helix II and internal loops A and B, 651

Ribonucleoproteins, small nuclear; B-B′ proteins have an endoribonuclease catalytic domain inactive in native particles, 439
Richardson, H. & Egan, J. B., DNA replication studies with coliphage 186. II. Depression of host replication by a 186 gene, 59
Richardson, H., Puspurs, A. & Egan, J. B., Control of gene expression in the P2-related temperate coliphage 186. VI. Sequence analysis of the early lytic region, 251
Roberts, S. B. Emmons, S. W. & Childs, G., Nucleotide sequences of *Caenorhabditis elegans* core histone genes. Genes for different histone classes share common flanking sequence elements, 567
Rodier, F. (see also Filipski, J.), 563
Rosenbusch, J. P. (see also Eiselé, J.-L.), 209
Rossi, A. (see also Messerschmidt, A.), 513
Rotational flexibility, axial, of the Fab regions of immunoglobulin G, 349
rplJL-rpoBC operon of *E. coli*; long-range translational coupling, 323
Rucheton, M. (see also Temsamani, J.), 439
Rullman, J. A. C., Bellido, M. N. & Van Duijnen, P. Th., The active site of papain. All-atom study of interactions with protein matrix and solvent, 101
Runswick, M. J. (see also Cozens, A. L.), 261
Rydel, T. J. (see also Skryzpczak-Jankun, E.), 755

Sack, J. S., Saper, M. A. & Quiocho, F. A., Periplasmic binding protein structure and function. Refined X-ray structures of the leucine/isoleucine/valine-binding protein and its complex with leucine, 171
Sack, J. S., Trakhanov, S. D., Tsigannik, I. H. N. & Quiocho, F. A., Structure of the L-leucine-binding protein refined at 2·4 Å resolution and comparison with the Leu/Ile/Val-binding protein structure, 193
Saenger, W. (see also Koepke, J.), 475
Saper, M. A. (see also Sack, J. S.), 171
Sauer, R. T. ((see also Gimble, F. S.), 29
Schachat, F. (see also Briggs, M. M.), 245
Schachman, H. K. (see also Werner, W. E.), 221, 231
Scherer, A., John, J., Linke, R., Goody, R. S, Wittinghofer, A., Pai, E. F. & Holmes, K. C., Crystallization and preliminary X-ray analysis of the human c-H-*ras*-oncogene product p21 complexed with GTP analogues, 257
Schierbeek, A. J., Swarte, M. B. A., Dijkstra, B. W., Vriend, G., Read, F. J., Hol, W. G. J., Drenth, J. & Betzel, C., X-ray structure of lipoamide dehydrogenase from *Azotobacter vinelandii* determined by a combination of molecular and isomorphous replacement techniques, 365
Schwarz, C. (see also Dora, S.), 81
Sequence, amino acid, critical for induction by translational attenuation; *ermC* leader peptide, 69
Sequence analysis of the early lytic region; control of gene expression in the P2-related temperature coliphage 186, 251
Sequence of cDNA clones for pig and human cartilage link protein, 749
Sequences, amino acid, N-terminal, of three functionally different troponin T isoforms from fast skeletal muscle, 245
Sequences, DNA, of two expressed nuclear genes for human mitochondrial ADP/ATP translocase, 261
Sequences, nucleotide, of *Caenorhabditis elegans* core histone genes, 567
Sequences, repetitive, *Alu*; chromosome localization-dependent compositional bias of point mutations, 563
Sequence of RNA polymerase subunit genes from the extreme halophiles *Halobacterium halobium* and *Halococcus morrhuae*, 1
Sequence statistics point to residue substitutions in α-helices; engineering protein thermal stability, 397
Shapiro, L. (see also Driks, A.), 627
Shibayama, N. (see also Luisi, B.), 723
Sibanda, B. L., Blundell, T. & Thornton, J. M., Conformation of β-hairpins in protein structures. A systematic classification with applications to modelling by homology. Electron density fitting and protein engineering, 759
Sickle hemoglobin fascicle assembly, 637
Siegele, D. A., Hu, J. C., Walter, W. A. & Gross, C. A., Altered promoter recognition by mutant forms of the σ^{70} subunit of *Escherichia coli* RNA polymerase, 591
σ^{70} subunit, *E. coli* RNA polymerase; altered promoter recognition by mutant forms, 591
σ^{70} subunit, *E. coli* RNA polymerase; a mutant with altered promoter specificity, 579
Sigma factor, RNA polymerase; specificity changed by a mutation. 605
Simian virus 40 DNA, integrated, excision involving homologous recombination between viral DNA sequences, 81
Skrzypczak-Jankun, E., Rydel, T. J., Tulinsky, A., Fenton, J. W., II & Mann, K. G., Human D-Phe-Pro-Arg-CH_2-α-thrombin crystallization and diffraction data, 755
Smith, D. & Yarus, M., Transfer RNA structure and coding specificity. I. Evidence that a D-arm mutation reduces tRNA dissociation from the ribosome, 489
Smith, D. & Yarus, M., Transfer RNA structure and coding specificity. II. A D-arm tertiary interaction that restricts coding range, 503
Stability of the actin filament; co-operativity in protein–protein association, 465
Stability of mRNA synthesized by vaccinia virus-encoded bacteriophage T7 RNA polymerase in mammalian cells, 333
Stability, thermal, of proteins; sequence statistics point to residue substitutions in α-helices, 397
Stabilization of the nucleosome, use of selectively trypsinized nucleosome core particles to analyze the role of the histone "tails", 451
Strand exchange; UvsY protein of bacteriophage T4 is an accessory protein for *in vitro* catalysis, 19
Straney, D. C., Straney, S. B. & Crothers, D. M., Synergy between *Escherichia coli* CAP protein and RNA polymerase in the *lac* promoter open complex, 41
Straney, S. B. (see also Straney, D. C.), 41
Structural organization of the *Caulobacter crescentus* flagellar filament, 627
Structure, crystal, of d(CGATCG) complexed with daunomycin, 693
Structure of the DNA-binding wing; two-dimensional ^{1}H n.m.r. studies on the gene V-encoded single-stranded DNA-binding protein of bacteriophage IKe, 119
Structure of *E. coli* 5 S RNA, 651
Structure of haemoglobin in the deoxy quaternary state with ligand bound at the α haems, 723
Structure of the L-leucine binding protein refined at 2·4 Å resolution and comparison with the Leu/Ile/Val-binding protein structure, 193
Structure of m^{5}C DNA methyltransferases, 305
Structure: plasticity of DNA conformation around the *Drosophila melanogaster* alcohol dehydrogenase gene under torsional stress, 281
Structure predictions in proteoglycans, 737
Structures, protein, conformation of β-hairpins; a systematic classification with applications to modelling, 759
Structure and refinement of the oxidized $P2_1$ form of uteroglobin at 1·64 Å resolution, 153
Structure, secondary, of porcine $C5a_{des\ Arg}$, 407
Structure, solution, of Tendamistat; comparison with crystal structure, 677
Structure, solution, of a tRNA with a large variable region: yeast $tRNA^{Ser}$, 707
Structure: solution of the phase problem in the X-ray diffraction method for proteins with the n.m.r. solution structure as initial model; Patterson search and refinement for Tendamistat, 669
Structure and stability of the actin filament; co-operativity in protein–protein association, 465
Structure and stability of mRNA synthesized by vaccinia virus-encoded bacteriophage T7 RNA polymerase in mammalian cells, 333
Structures of Tendamistat determined by n.m.r. in solution and by X-ray diffraction in single crystals; a comparison, 677
Structure, three-dimensional, of ribonuclease T_1 complexed with guanylyl-2′,5′-guanosine at 1·8 Å resolution, 475
Structure of tRNA, and coding specificity; a D-arm tertiary interaction that restricts coding range, 503

Structure of tRNA, and coding specificity; evidence that a D-arm mutation reduces tRNA dissociation from the ribosome, 489
Structure, X-ray, of lipoamide dehydrogenase from *Azotobacter vinelandii* determined by a combination of molecular and isomorphous replacement techniques, 365
Structures, X-ray, refined, of the Leu/Ile/Val-binding protein and its complex with leucine, 171
Subbiah, S., Are coiled-coil proteins evolutionarily related?, 689
Sugai, S. (see also Kuwajima, K.), 547
Susskind, M. M. (see also Gardella, T.), 579
Sussman, J. L. (see also Wagner, U. G.), 787
Sutoh, K., Tokunaga, M. & Wakabayashi, T., Electron microscopic mappings of myosin head with site-directed antibodies, 357
Swarte, M. B. A. (see also Schierbeek, A. J.), 365

T4 (see also Bacteriophage), 19
T7 (see also Bacteriophage), 333
Taveau, J. C. (see also Wade, R. H.), 349
Tazi, J. (see also Temsamani, J.), 439
Temsamani, J., Alibert, C., Tazi, J., Rucheton, M., Capony, J.-P., Jeanteur, P., Cathala, G. & Brunell, C., B-B′ proteins from small nuclear ribonucleoproteins have an endoribonuclease catalytic domain inactive in native particles, 439
Tendamistat, Patterson search and refinement, 669
Tendamistat structure in solution and in crystals; a comparison, 677
Terminal interactons, adeno-associated virus DNA, 91
Tesser, G. I. (see also De Jong, E. A. M.), 133
Thornton, J. M. (see also Sibanda, B. L.), 759
α-Thrombin; crystallization and diffraction data, 755
Tokunaga, M. (see also Sutoh, K.), 357
Torsional stress and plasticity of DNA conformation around the *Drosophila* alcohol dehydrogenase gene, 281
Trakhanov, S. D. (see also Sack, J. S.), 193
Transcription of RNA polymerase subunit genes from the extreme halophiles *Halobacterium halobium* and *Halococcus morrhuae*, 1
Transfer RNA structure and coding specificity; a D-arm tertiary interaction that restricts coding range, 503
Transfer RNA structure and coding specificity; evidence that a D-arm mutation reduces tRNA dissociation from ribosome, 489
$tRNA^{Ser}$, yeast; solution structures, 707
Translational coupling, long-range, in the *rplJL-rpoBC* operon of *E. coli*, 323
Tn*3* resolvase; analysis of inhibitors of the site-specific recombination reaction, 295
Trautner, T. A. (see also Lauster, R.), 305
Troponin T isoforms, functionally different, from rabbit fast skeletal muscle; N-terminal amino acid sequences, 245
Trypsinized nucleosome core particles, use in analysis of role of the histone "tails" in the stabilization of the nucleosome, 451
Tsernoglou, D. (see also Newman, R.), 213
Tsigannik, I. H. (see also Sack, J. S.), 193
Tucker, A. (see also Newman, R.), 213
Tulinsky, A. (see also Skrzypczak-Jankun, E.), 755

Uteroglobin, structure and refinement of the oxidized $P2_1$ form at 1·64 Å resolution, 153
UvsY protein of bacteriophage T4 is an accessory protein for *in vitro* catalysis of strand exchange, 19

Vaccinia virus-encoded bacteriophage T7 RNA polymerase in mammalian cells; structure and stability of synthesized mRNA, 333
Van Duijnen, P. Th. (see also Rullman, J. A. C.), 101
Van Duynhoven, J. P. M. (see also De Jong, E. A. M.), 119, 113
Van Holde, K. E. (see also Ausio, J.), 451
Virus, adeno-associated; interactions between termini, 91
Virus (see also Brome mosaic virus), 425
Virus (see also Papillomavirus), 239
Virus (see also Simian virus 40), 81
Virus (see also Vaccinia virus), 333
Volbeda, A. & Hol, W. G. J., Pseudo 2-fold symmetry in the copper-binding domain of arthropodan haemocyanins. Possible implications for the evolution of oxygen transport proteins, 531
Vonkhorporn, P. (see also Huang, X.-Y.), 411
Vriend, G. (see also Schierbeek, A. J.), 365

Wade, R. H., Taveau, J. C. & Lamy, J. N., Concerning the axial rotational flexibility of the Fab regions of immunoglobulin G, 349
Wagner, U. G., Werber, M. M., Beck, Y., Hartman, J. R., Frolow, F. & Sussman, J. L., Characterization of crystals of genetically engineered human manganese superoxide dismutase, 787
Wakabayashi, E. (see also Kurihara, H.), 791
Wakabayashi, T. (see also Sutoh, K.), 357
Walker, J. E. (see also Cozens, A. L.), 261
Walter, W. A. (see also Siegele, D. A.), 591
Wang, A. H.-J. (see also Lin, S.-F.), 789
Warwicker, J., Investigating protein–protein interaction surfaces using a reduced stereochemical and electrostatic model, 381
Weisblum, B. (see also Mayford, M.), 69
Werber, M. M. (see also Wagner, U. G.), 787
Werner, W. E. & Schachman, H. K., Analysis of the ligand-promoted global conformational change in aspartate transcarbamoylase. Evidence for a two-state transition from boundary spreading in sedimentation velocity experiments, 221
Werner, W. E., Cann, J. R. & Schachman, H. K., Boundary spreading in sedimentation velocity experiments on partially liganded aspartate transcarbamoylase. A ligand-mediated isomerization, 231
Westhof, E. (see also Dock-Bregeon, A. C.), 707
Williamson, M. P., ^1H nuclear magnetic resonance assignments and secondary structure of porcine $C5a_{des\ Arg}$, 407
Wittinghofer, A. (see also Scherer, A.), 257
Wüthrich, K. (see also Billeter, M.), 677
Wüthrich, K. (see also Braun, W.), 669

X-ray analysis of the human c-H-*ras*-oncogene product p21 complexed with GTP analogues, 257
X-ray crystal structure of the blue oxidase ascorbate oxidase from Zucchini; analysis of the polypeptide fold and a model of the copper sites and ligands, 513
X-ray diffraction determination of structure of Tendamistat in single crystals; comparison with solution structure from n.m.r. studies, 677
X-ray diffraction method for proteins, solution of the phase problem with the n.m.r. solution structure as initial model; Patterson search and refinement for Tendamistat, 669
X-ray structure of lipoamide dehydrogenase from *Azotobacter vinelandii* determined by a combination of molecular and isomorphous replacement techniques, 365

Yarus, M. (see also Smith, D.), 489, 503
Yeast iso-2-cytochrome *c*, crystallization using a novel hair seeding technique, 783
Yeast $tRNA^{Ser}$ solution structure, 707

Zabielski, J. (see also Burnett, S.), 239
Zillig, W. (see also Leffers, H.), 1
Zuber, P., Healy, J., Carter, H. L., III, Cutting, S., Moran, C. P., Jr & Losick, R., Mutation changing the specificity of an RNA polymerase Sigma factor, 605
Zucchini ascorbate oxidase, X-ray crystal structure; analysis of the polypeptide fold and a model of the copper sites and ligands, 513